TIAM P10

AI Face Identification

High Resulotion 7 inch LCD

PALIZAFZAR

Access is granted
James

Li-ion battery support

Unrivaled face recognition performance by Fusion Matching

M CARD

Card
Identification

Face
Recognition

Fingerprint
Recognition

TIAM P10 AI Face Recognition & Fingerprint Time Attendance and Access Control Terminal

√ Dynamic face recognition
√ Li-ion battery support
√ ID/IC card optional
√ Fingerprint
√ Password

Access is granted
James

PALIZAFZAR

CARD

TIAM PRO Support multi-person (at most 5 users) face recognition at same time

WWW.Palizafzar.com

TIAM PRO New standards of safety and hygiene

. Detects and limits access of users not wearing masks

. Face recognition of users wearing masks

. Remote user enrollment through profile photo uploads

PALIZAFZAR

PALIZAFZAR

PALIZAFZAR

PALIZAFZAR

Please wear a mask

Access is granted
David

CARD

CARD

WWW.Palizafzar.com

TIAM P10

Support set face recognition distance : close (around 0.8m)
middle (around 1.5m)
far (around 2 _3m)

0.8 _3m

TIAM *PIO* Support WDR (wide dynamic range), with good performance under strong light, dark light and backlight environment

Strong light

Dark light

Backlight

PALIZAFZAR

✓ Access is granted
James

CARD

Unlock when power on

Unlock when power off

Door sensor

Door bell

Lock control power supply

Exit button

| GND |
| +12V |
| PUSH |
| NO |
| COM |
| NC |

•	+12V
•	GND
•	Lock_com
•	Lock_NC
•	Lock_NO
•	Button
•	D-Sensor
•	Bell +
•	Bell -
•	—

+12V	•
GND	•
WG_IN0	•
WG_IN1	•
WG_OUT0	•
WG_OUT1	•
ALARM	•
FIRE	•

WG reader

Access controller

12V alarm

Emergency button

| 12V • |
| RS485A • |
| RS485B • |
| GND • |

| • 12V |
| • RS485A |
| • RS485B |
| • GND |

Master machine

Slave machine